

## IT Installation Notes

### TurningPoint® Installation on Windows Vista® x86

#### Software Installation

Creates folder under *C:\Program Files\Turning Technologies\TurningPoint 2008* (TurningPoint Program file folder contains 70 files, 6 folders).

Creates a folder under *C:\Users\{local user}\AppData\Roaming\Turning Technologies\TurningPoint*.

Creates folder under *C:\Users\All Users\Turning Technologies\TurningPoint\Common* and adds a *language.xml* file (when installed for *All Users*).

#### First Time Running TurningPoint/Installing Hardware

Creates registry entry.

*HKEY\_CURRENT\_USER\Software\Microsoft\Office\PowerPoint\Addins\TurningPoint.Connect*

This registry entry is set to *false* by default, and the registry key is removed when TurningPoint is launched. If you change to add-in always loaded under the **Presentation Settings**, the registry entry will not be deleted when you exit TurningPoint and set the value to *true* or always load with PowerPoint.

- Creates a folder under *C:\Users\{local user}\Documents\TurningPoint*.
- Under *C:\Users\{local user}\AppData\Roaming\Turning Technologies\TurningPoint*
  - *Bundle* folder created.
  - *Current Report* folder created once you have a report with data not saved.
  - *Current Session* folder created once you have a session with data not saved or reset.
  - *Ranking Wizard* folder created when using/creating Ranking Wizard slides.
  - *language.XML* file created for language type settings. (If the user installs TurningPoint for All Users this will be in both the *All Users* and *local* users folder.)
  - *loginfo.XML* created once you connect to a LMS integration. (IE- Moodle/Sakai/Turning Technologies Web Registration Utility/BlackBoard/WebCT)
  - *settings.XML* created once you make changes to **Presentation Settings** or switch to default settings.
  - *Standards.xml* created once standards is installed and used.
- Creates *HASP4 Device Drivers* under Add/Remove Programs.